


Allgemeine Information

Innen - Deckenleuchten



Ean	8021696319582
Artikel	NITRO PL D10 SQUARE NERO 3000K
Installation	Deckenleuchten
Garantie	5 years
Bruttogewicht	0.66 kg
Volumen	0.001634 m ³

Technische Information

Nettogewicht	0.6 kg
Isolationsklasse	II
Schutzindex	IP20
Einhaltung	CE
Betriebstemperatur	0° ~ +40 °C
Dimmer	Non-dimmable, On-Off
Leistung	220-240 V AC 50/60 Hz
Energieversorgung	In-built, included Replaceable (by qualified operators only), electronic

Quellinfo

Integrierte Quelle	Integrated LED module
Austauschbare Quelle	Replaceable (by qualified operators only)
Leistung	LED 25 W
Emissionen	Direct
Maximaler Verbrauch	max 25 W
Merkmale LED	LED COB BRIDGELUX
CCT LED	3000 K
Dauer LED (t. 25°C)	50000 h
CRI	> 90
SDCM	3
Lichtstrahlwinkel	33°
UGR Maximal	< 19
Lichtstrahlfluss	2350 lm
Nützlicher Lichtstrom	2020 lm
Photobiologisches Risiko	1
Leuchtmittel enthalten	1
Glühbirne empfehlen	LED INTEGRATO 2350Lm 3000K